	Hits	Search Text	DBs
1	1	("6182142").PN.	USPAT
2	163	applet same (secure near3 (connection or access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	1	("6023708").PN.	USPAT
4	1	("6085192").PN.	USPAT
5	1	("6131116").PN.	USPAT
6	632	((authorized or authenticated) near5 (process or applet or application or code or program)) with (access near3 (resource or application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and @ad<19980401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	85	authorized with applet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	9	(authorized with applet) same ((request$3 or access$3) near4 (resource or application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	642	applet with ((access$3 or request$3) near3 (resource or application or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	439	applet near5 ((access$3 or request$3) near3 (resource or application or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	88	(applet near5 ((access$3 or request$3) near3 (resource or application or data))) and @ad<19980401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	18	5847957.URPN.	USPAT
14	25	("5204947" | "5239466" | "5283861" | "5315711" | "5349675" | "5479599" | "5483631" | "5497463" | "5699494" | "5715453" | "5727135" | "5727155" | "5742759" | "5761421" | "5761656" | "5778356" | "5801689" | "5801707" | "5802530" | "5805442" | "5812826" | "5845299" | "5847957" | "5949412" | "5956036").PN.	USPAT
15	21	"electronic badge" and @ad<19980401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
16	8155	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls.	USPAT
17	145	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls. and ((applet or activex or "active x") same (authenticat$3 or authoriz$5))	USPAT
18	21	713/185.ccls. and (applet or activex or "active x")	USPAT; US-PGPUB
19	65	713/185.ccls. and (access near2 (control or right or level)) and @ad<19980401	USPAT; US-PGPUB
20	10	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<19980401	USPAT; US-PGPUB
21	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<19980401	USPAT; US-PGPUB
22	0	713/185.ccls. and (("smart card" or "ic card") with badge) and @ad<19980401	USPAT; US-PGPUB
23	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<19980401	USPAT; US-PGPUB
24	4	713/185.ccls. and badge and @ad<19980401	USPAT; US-PGPUB
25	2	713/201-202.ccls. and (("smart card" or "ic card") same badge) and @ad<19980401	USPAT; US-PGPUB
26	5	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls. and ((applet or activex or "active x") with (credential or privilege or (access near2 level))) and @ad<19980401	USPAT; US-PGPUB
27	1	("5815574").PN.	USPAT
28	8155	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls.	USPAT
29	60	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls. and passport	USPAT
30	2	("5710817" | "5835595").PN.	USPAT
31	5	6005939.URPN.	USPAT

	Hits	Search Text	DBs
32	13	("5081678" | "5452433" | "5455953" | "5463690" | "5623546" | "5671279" | "5719942" | "5724423" | "5737414" | "5737422" | "5784463" | "5835595" | "5852666").PN.	USPAT
33	27	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz$5 or authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	1	("6587836").PN.	USPAT
35	9	riggins-mark-d.in.	USPAT; US-PGPUB
36	1	("6708221").PN.	USPAT
37	336	(certificate or credential or sso or (single adj sign$1on)) near5 ((id or identi$8) near3 password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	10	6055637.URPN.	USPAT
39	4	("4471216" | "5005200" | "5534855" | "5757920").PN.	USPAT
40	134	(certificate or token or passport or cookie) near5 ((id or identi$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	5	(applet or "active x" or activex) near5 ((id or identi$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	1	("6711681").PN.	USPAT
43	7	("5710817" | "5774551" | "5848412" | "6023762" | "6035406" | "6105132" | "6304973").PN.	USPAT
44	552	(privilege or credential or "access right") near5 (chang$3 or alter$3 or adjust$3)	USPAT
45	11	(privilege or credential or "access right") with (dynamic$4 near3 (chang$3 or alter$3 or adjust$3 or add$3 or remov$3))	USPAT
46	1	("4135240").PN.	USPAT
47	23	(privilege or credential or "access right") with (dynamic$4 near3 (chang$3 or alter$3 or adjust$3 or add$3 or remov$3 or augment$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
48	27	(end$3 or terminat$3 or kill$3 or destroy$3 or remov$3 or delet$3) near4 (certificate or cookie or passport or credential or privilege or "access right") with (instruc$3 or order$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	41	(certificate or cookie or passport or credential or privilege or "access right" or applet) near3 (expir$5 or invalid) with (destroy$3 or discard$3 or remov$3 or delet$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	37	(regist$6 near4 (telephone or phone)) with (assign$3 near3 (password or code or secret or passphrase or key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	53	(regist$6 near4 (telephone or phone)) same ((assign$3 or distribut$3) near3 (password or code or secret or passphrase or ($cryption adj key)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	16	(password near3 (assign$3 or distribut$3)) with $phone same regist$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	114	705/76.ccls.	USPAT
54	1940	((user or buyer or subscriber or customer) near4 (regist$5 or enroll$4 or subscri$5)) same ((via or using or over) near5 $phone) and @ad<19980401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	98	(((user or buyer or subscriber or customer) near4 (regist$5 or enroll$4 or subscri$5)) same ((via or using or over) near5 $phone) and @ad<19980401) and ((receiv$3 or acquir$3 or assign$3 or distribut$3) near3 (password or ($cryption key)) same $phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB